SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier: <u>Crystal Nails Base Gel</u>

1.2. Relevant identified uses of the mixture and uses advised against:

Base gel for artificial nails for cosmetic use. Only for professional use.

1.3. Details of the supplier of the safety data sheet:

Elite Cosmetix Ltd. 1085 Budapest Jozsef krt. 44. Phone: +36-1-461 0144 fax: +36-1-461 0145 lab2@elitecosmetix.com

1.4. Emergency telephone number:				
Country	Name	Phone No.	Availability	
Hungary	Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)	+36 80201199	call around the clock	
Austria	Vergiftungsinformationszentrale	+43 14064343	call around the clock	
Belgium	Antigifzentrum	+32 070245245	call around the clock	
Czech Republic	Toxikologického informačního střediska	+420 224919293	call around the clock	
Denmark	Giftlinjen	+45 82121212	call around the clock	
France	Centre Antipoison et de Toxicovigilance	+ 33 0140054848	call around the clock	
Germany	Giftnotruf Berlin Institut für Toxikologie	+49 3019240	call around the clock	
Ireland	National Poisons Information Centre	+353 018092566	call around the clock	
Italy	S.C. Centro Antiveleni di Milano (CAV)	+39 0266101029	call around the clock	
Spain	Instituto Nacional de Toxicología y Ciencias Forenses	+34 915620420	call around the clock	
The Netherlands	Vergiftigingen	+31 0302748888	call around the clock	

1.4. Emergency telephone number:

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

H225
H315
H317
H319
H335
H412

2.2. Labelling elements:



GHS02 GHS07

Signal words: Danger!

Hazard statements	H225: Highly flammable liquid and vapour.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	H412: Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

Precautionary statements	
Prevention	P210: Keep away from heat / sparks / open flames / hot surfaces. – No smoking.
	P241: Use explosion-proof electrical / ventilating / lighting and all material handling equipment.
	P280: Wear protective gloves / protective clothing / eye protection / face protection.
	P261: Avoid breathing dust / fume / gas / mist / vapours / spray.
Response	
If on skin	P303 + P361 + P353: Take off immediately all contaminated clothing. Rinse skin with water.
If in eyes	P305 + P351 + P338: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If inhaled	P304 + P340: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Storage	P403 + P235: Store in a well-ventilated place. Keep cool.
Disposal:	P501: Dispose of contents and container in accordance with all local, regional, national and international regulations.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product is considered dangerous and contains the following hazardous substances

Chemical name	CAS No.	EU No.	INCI name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Hazard state- ments	m%
Di-HEMA			Di-Hema	Skin Irrit.2	H315	50
Trimethylhexyl	72869-86-4	276-957-5	Trimethylhexyl	Skin Sens.1	H317	50- 75
Dicarbamate			Dicarbamate	Eye Irrit.2	H319	
2-Propenoic Acid, 2-Methyl-, (Tetrahydro-2- Furanyl) Methyl Ester	2455-24-5	219-529-5	Tetrahydro- furfuryl Methacrylate	Skin Irrit.2 Eye Irrit.2 STOT SE 3	H315 H319 H335	10- 25
Isobornyl Methacrylate	7534-94-3	231-403-1	Isobornyl Methacrylate	Skin Irrit.2 Eye Irrit.2 STOT SE 3 Aquatic Chronic 2	H315 H319 H335 H411	10- 25
1,2-Propanediol, Monomethacrylate	27813-02-1	248-666-3	Hydroxypropyl Methacrylate	Skin Sens.1 Eye Irrit.2	H317 H319	5-10
n-Butyl Acetate	123-86-4	204-658-1	Butyl Acetate	Flam. Liq. 3 STOT SE 3	H226 H336	5-10
Propyl Acetate	109-60-4	203-686-1	Propyl Acetate	Flam. Liq. 2 Eye Irrit.2 STOT SE 3	H225 H319 H336	1-5
Diphenyl(2,4,6- trimethylbenzoyl) Phosphine Oxide	75980-60-8	278-355-8	Trimethylbenzoyl Diphenyl- phosphine Oxide	Repr. 2	H361f	0.1- 1

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCILPreparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

4. FIRST AID MEASEURE

4.1. Description of first aid measures

- In case of eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth to mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- In case of skin contact Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

or waistband.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or selfcontained breathing apparatus. It may be dangerous to the person providing aid to give mouth to mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2. Most important symptoms and effects, both acute and delayed

Potential acute health effect

cheet	
Eye contact	Causes serious eye irritation
Inhalation	May cause respiratory irritation.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Ingestion	Irritating to mouth, throat and stomach.
Over exposure signs /	
symptoms	
symptoms	
Eye contact	Irritation, watering, redness.
	Irritation, watering, redness. May cause respiratory irritation.
Eye contact	
Eye contact Inhalation	May cause respiratory irritation.

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician	Treat symptomatically. Contact poison treatment specialist
Notes to physician	immediately if large quantities have been ingested or inhaled.
Specific treatment	No specific treatment.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Preparation date: 12.06.2015. Revision date: 15.02.2017. Version: 2.0

5. FIREFIGHTING MEASURES

5. 1. Extinguishing media

Suitable extinguishing media	Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing	Do not use water jet
media	

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	Highly flammable liquid and vapour. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal	Decomposition products may include the following
decomposition products	materials: carbon dioxide, carbon monoxide.
5.3. Advice for firefighters	
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

6. ACCIDENTAL RELEASE MEASURE

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
6.2. Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3. Methods and materials for containment and cleaning up	
Small spill	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4. Reference to other See Section 1 for emergency contact information. See Sections Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Put on appropriate personal protective equipment (see Protective measures Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Ground container and receiving equipment. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Preparation date: 12.06.2015. Revision date: 15.02.2017. Version: 2.0

for additional information on hygiene measures.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage Shield UV light sources. Do not store above the following areas and containers temperature: 38°C (100.4°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3. Specific end uses

Recommen	ndations		Not available.
Industrial	sector	specific	Not available.
solutions			

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Occupational exposure limits

OELs (Occupational Exposure Limit values) for Hungary ¹				
Component	TWA (Time Weighted Average)	PC (Peak Concentration)		
n-Butyl acetate	950 mg/m ³	950 mg/m ³		
Propyl acetate	840 mg/m ³	840 mg/m ³		

procedures

Recommended monitoring If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to

¹For other local/national OEL values visit the following website:

http://www.dguv.de/ifa/fachinfos/occupational-exposure-limit-values/foreign-and-eu-limit-values/index.jsp

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

use respiratory protective equipment. Reference should be made to monitoring standards, such as

the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

8.2. Exposure controls

Appropriate engineering Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protectionSafety eyewear complying with an approved standard should
be used when a risk assessment indicates this is necessary to
avoid exposure to liquid splashes, mists, gases or dusts. If
contact is possible, the following protection should be worn,

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

unless the assessment indicates a higher degree of protection: chemical splash goggles

- Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.
- Other skin protection Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Environmental exposure Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Liquid. [Viscous liquid.]
Colour	Clear. Violet. [Light]
Odour	Characteristic. Acrylate odour [Slight]
Melting/freezing point	Not available
Initial boiling point/range	Not available
Flash Point	Closed cup: 22°C
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	1.15 g/cm^3
Solubility(ies)	Insoluble in the following materials: cold water and hot water.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Highly explosive in the presence of the following materials or conditions: open flames, sparks and static discharge and heat.
9.2. Other information	

No additional information.

10. STABILITY AND REACTIVITY

10.1. Reactivity	No specific test data related to reactivity available for this product or its ingredients.			
10.2. Chemical stability	The product is stable.			
10.3. Possibility of hazardous reactions	Hazardous polymerization may occur under certain conditions of storage or use. These could cause the product to polymerize exothermically. Unintentional contact with them should be avoided.			
10.4. Conditions to avoid	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.			

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Preparation date: 12.06.2015. Revision date: 15.02.2017. Version: 2.0

10.5. Incompatible materials	Reactive or incompatible with the following materials: oxidizing materials
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Ingredient name	Result	Species	Dose	Exposure
D (1) ()	LD50 Dermal	Rabbit	>17600 mg/kg	-
n-Butyl acetate	LD50 Oral	Rat	10768 mg/kg	-
Propyl acetate	LD50 Oral	Rat	9370 mg/kg	-

Acute toxicity estimates: Not available.

Specific target organ toxicity (single exposure)

Ingredient name	Category	Route of exposure	Target organ
n-butyl acetate	Category 3	Not applicable.	Narcotic effects
propyl acetate	Category 3	Not applicable.	Narcotic effects

11.2. Most important symptoms and effects associated with exposure

Potential acute health effect

Eye contact	Causes serious eye irritation
Inhalation	May cause respiratory irritation.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Ingestion	Irritating to mouth, throat and stomach.
Over exposure signs / symptoms	
Eye contact	Irritation, watering, redness.
Inhalation	May cause respiratory irritation.
Skin contact	Redness, irritation.
Ingestion	Irritating to mouth, throat and stomach.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Preparation date: 12.06.2015. Revision date: 15.02.2017. Version: 2.0

11.3. Delayed and immediate effects and also chronic effects from short and long-term exposure

Short term exposure

Potential immediate	Not available.
effects	
Potential delayed effects	Not available.
Long term exposure	
Potential immediate	Not available.
effects	
Potential delayed effects	Not available.

11.4. Potential chronic health effects:

General Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Other information: No available.

12. ECOLOGICAL INFORMATION

12.1. Toxicity Not available.

12.2. Persistence and

Not available.

degradability

12.3. Bioaccumulative potential

Ingredient name	LogPow	BCF	Potential
isobornyl methacrylate	5.9.	-	high
n-butyl acetate	2.3.	-	low
propyl acetate	1.4.	-	low
trimethylbenzoyl diphenyl-			
phosphine oxide	-	53 to 72	low

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

12.4. Mobility in soil

Soil / water partition coefficient (Koc)Not available.MobilityNot available.

12.5. Results of PBT and vPvB assessment			
PBT	Not applicable.		
vPvB	Not applicable.		

12.6 Other adverse effects: No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods Product

Methods of disposal	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. TRANSPORT INFORMATION

This product is classified as dangerous goods.

14.1. UN No. 14.2. Proper shipping name	1993 FLAMMABLE LIQUID, N.O.S. (n-butyl acetate, propyl acetate)
14.3. Transport hazard class and labels	3
14.4. Packing group	II.
14.5. Environmental hazards	No.
14.6. Special precautions	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.

15. REGULATORY INFORMATION

15.1. Other regulation	1223/2009/EEC: Regulation on cosmetic products						
15.2. Chemical Safety			Assessment		prepared	neither	for
Assessment	ingredients nor the product itself.						

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 12.06.2015.Revision date: 15.02.2017.Version: 2.0

16. OTHER INFORMATION

Note of supplier of material safety data sheet

Note: Since the product is marketed as a cosmetic product, thus, it is out of scope of CLP regulation 1272/2008. However, in order to facilitate the chemical risk assessment of work places for professional users, the classification and labelling elements in accordance with CLP are included.

The product is labelled in accordance with 1223/2009/EEC. The product is intended only for professional use.

This MSDS is based on data of the original safety data sheet provided by the manufacturer, using the up-to-date version of regulation 1907/2006. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product, therefore it cannot be used to verify quality compliance. Elite Cosmetix Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product.