## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

# 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier: Crystal Nails Easy Remover – Chamomile/Green Tea

1.2. Relevant identified uses of the mixture and uses advised against:

Acryl, tip and gel-lacquer remover for cosmetic use.

1.3. Details of the supplier of the safety data sheet:

Elite Cosmetix LTD.

1085 Budapest József krt. 44.

Phone: +36-1-461 0144 fax: +36-1-461 0145

lab2@elitecosmetix.com

#### 1.4. Emergency telephone number:

International Emergency Phone Numbers: 1-352-323-3500 (call around the clock)
Toxicological Information Service (HU): 00 36 80 201199 (call around the clock)

#### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture:

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Flam. Liq. 2 H225

Eye Irrit. 2 H319

STOT SE 3 H335

#### 2.2. Labelling elements:



GHS02 GHS07

Signal words: Danger

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

#### **Hazard statements**

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

#### **Precautionary statements**

**Prevention** P210: Keep away from heat / sparks / open flames/hot

surfaces. - No smoking.

P241: Use explosion-proof electrical / ventilating / light / ...

/ equipment.

P242: Use only non-sparking tools.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P 280: Wear protective gloves / protective clothing / eye

protection / face protection.

Response

P370 + 378: In case of fire: Use chemical powders, carbon

dioxide for extinction.

P305 + 351 + 338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present

and easy to do – continue rinsing.

**Storage** P403 + 233: Store in a well ventilated place. Keep container

tightly closed

Additional labelling EUH066 Repeated exposure may cause skin dryness or

cracking.

Page: 2 / 13

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

The product is considered dangerous and contains the following hazardous substance(s):

Chemical name	CAS No.	EU No.	INCI name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Hazard statements	m%
acetone	67-64-1	200- 662-2	Acetone	Flam. Liq. 2 Eye Irrit. 2. STOT SE 3	H225 H319 H336	75- 100

#### 4. FIRST AID MEASEURE

#### 4.1. Description of first aid measures

O 1 1 '	T 1	1 •	1 1	r ,	• . 1.
Lionaral adviso	In conoro	1 111 0000 OT	doubt or 1	commitance	norgist consult o
General advice	III VEHELA	L III CASE OI	(1()111)1 ()1 11	SVIIIIIIOIIIS	persist, consult a

physician and show the product label or this MSDS. Never give anything by mouth to a person who is unconscious or

likely to become so (state of shock, etc ...)

If inhaled Move to fresh air, keep warm and get medical advice. If

breathing is irregular or stops, give artificial respiration (if possible give oxygen) and contact the local Emergency

Services.

In case of skin contact Remove soiled clothing, clean affected areas with copious

amounts of soapy water. Do not use solvents (thinners ...).

In case of eye contact 
In case of contact with eyes, rinse immediately with fresh

water for 15 minutes holding eyelids open. Refer the victim to an ophthalmologist immediately and show the product label or this MSDS; this should be treated as an emergency

in case of symptoms (redness, pain, visual problems).

If swallowed If quantity is small (less than a mouthful), rinse mouth with

water. DO NOT induce vomiting. In all cases, seek medical

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

attention.

#### 4.2. Most important symptoms and effects associated with exposure

If inhaled Possible drowsiness and dizziness. Risk of respiratory

problems.

In case of skin contact Redness, pain. The skin absorbs part of the ingredients of

this product. Can cause dry or chapped skin.

In case of eye contact Redness, watering, blurred vision. Risk of irritant effect on

eyes.

If swallowed Health risk even in small quantities. Product should not

come into contact with foodstuffs.

#### 4.3. Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

Specific treatment No specific treatment.

#### FIREFIGHTING MEASURES

**5.1. Extinguishing media** Chemical powders, carbon dioxide and other extinguishing

gases may be suitable for minor fires.

Recommended Special foam for polar liquids.

To avoid Water without additives.

**5.2 Specific hazards** 

during fire fighting be invisible) heavier than air and spread along ground.

Exposure to decomposition products (such as carbon monoxide or dioxide) constitutes a serious health hazard. Do not inhale smoke. Vapours may form explosive mixtures

Fire often produces a dense black smoke and vapours (may

with air.

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Preparation date: 04.10.2016. Revision date: - Version: 1.0

#### 5.3. Advice for firefighters

Special protective actions for fire-fighters

Use water to keep the containers exposed to fire cool. Heating will cause a pressure rise - with risk of bursting. Avoid naked flames or other sources of ignition in areas where product is used. Protect electrical equipment (risk of explosive zones). Dry residue stay highly flammable. Exercise caution when fighting any chemical fire. Prevent fire-fighting effluent from entering drains, watercourses and/or environment.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 6. ACCIDENTAL RELEASE MEASURE

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

As the product contains organic solvent which is highly flammable substance, remove all possible sources of ignition and thoroughly ventilate premises. Use personal protective equipment and keep away unprotected persons. Do not inhale fumes / gas / vapours / spray. Avoid skin and eye contact. See Sections 7 et 8.

# **6.2. Environmental precautions**

Prevent product from entering drains or watercourses. Avoid subsoil penetration. If the product contaminates ground water, rivers or drains (or is likely to do so), notify the relevant authorities, following the statutory procedures.

# 6.3. Methods and materials for containment and cleaning up

Methods and materials

Clean up any spills as soon as possible, using a noncombustible absorbent material to collect it, for example:

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

sand, earth, vermiculite, diatomic earth. Collect material into suitable drums for disposal in accordance with regulations (see Section 13). It is preferable to clean with detergents, do not use solvents.

6.4 Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

#### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Protective measures

Keep container tightly closed. Ensure adequate ventilation. Use personal protective equipment (see section 8). Avoid contact with the skin the eyes. Emergency eye wash fountains and emergency showers should be obtainable in the immediate vicinity. Handle empty containers with care because residual vapours are flammable. Dry residue stay highly flammable. Avoid naked flames or other sources of ignition in areas where product is used. No smoking. Fumes are heavier than air and they may spread at ground level and form explosive mixtures with air. Avoid the formation of concentrations and concentrations explosive above occupational exposure limits. Do not allow unauthorized persons into areas where product is used.

Technical protective measures

Provide proper grounding. Use only non-sparking tools. Do not use compressed air to either agitate or transfer the contents of storage containers (tanks) / shipping drums containing this material.

Avoid build-up of static charges by:

- ensuring that flooring is conductive and keeping it clean,
- ensuring that equipment in earthed during transfer or stirring of the product or preparations containing the product,
- use of antistatic shoes, clothing and packaging.

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

Hygiene measure

Keep away from food, drink and animal feeding stuffs. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2. Conditions for safe storage

Requirements for storage areas and containers

Store in tightly closed containers, in a cool, dry and well-ventilated place. Unsuitable working materials: various plastics. Keep in an area equipped with solvent resistant flooring. Keep away from direct sunlight, from heat or sources of ignition – No smoking. The vapour may be invisible, heavier than air and spread along ground. Vapours may form explosive mixtures with air. Take measures to prevent the build-up of electrostatic charge. Use only in an area containing explosion proof equipment.

#### 7.3. Specific end uses

Recommendations

Not available.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Occupational exposure limits

OELs (Occupational Exposure Limit values) for Hungary <sup>1</sup>					
Component	TWA (Time Weighted Average)	PC (Peak Concentration)			
Acetone	1 210 mg/m <sup>3</sup>	2 420 mg/m <sup>3</sup>			

#### 8.2. Exposure controls

local exhaust ventilation or other engineering controls to

<sup>&</sup>lt;sup>1</sup>For other local/national OEL values visit the following website: http://www.dguv.de/ifa/fachinfos/occupational-exposure-limit-values/foreign-and-eu-limit-values/index.jsp

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection

measures

Hygiene measures Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and

safety showers are close to the workstation location.

limits, respiration protection is necessary, wear a gas mask

(A-P2) with appropriate cartridge.

Eye/face protection Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of

protection: chemical splash goggles and/or face shield.

Hand protection Use adapted gloves (in accordance with EN 374) to prevent

skin contact and possible irritation.

Skin and body protection Solvent resistant protective clothing.

Environmental exposure Emissions from ventilation or work process equipment should be checked to ensure they comply with the

requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to

reduce emissions to acceptable levels.

Personal hygiene Minimize breathing of vapour. Avoid prolonged contact with

skin. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving

work. Changing of clothes at the end of work.

Environmental exposure

controls

Prevent product from entering drains or watercourses. If product contaminates ground water, rivers or drains (or is

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

likely to do so), notify the relevant authorities, following the statutory procedures.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Data relating to **acetone** 

Appearance/form Translucent liquid.

Odour Scented solvent.

Initial boiling point/range 56 °C

Melting point - 95 °C

Flash Point (acetone) - 18 °C (closed cup)

Flammability (solid, gas) Formation of explosive air/vapour mixtures is possible.

Auto-ignition temperature 465 °C

Explosive Limits % Vol lower — upper

2.2 - 13

Vapour pressure 24 kPa (20 °C)

 $\log Pow$  -0.24

Relative vapour density

(air=1)

2

Density  $0.80 \text{ g/cm}^3 \text{ at } 20 \text{ }^{\circ}\text{C}$ 

Water solubility Miscible.

#### 9.2. Other information

No further information available.

#### 10. STABILITY AND REACTIVITY

**10.1. Reactivity** No specific test data related to reactivity available for this

product or its ingredients.

**10.2. Chemical stability** Stable under normal conditions of storage and use.

**10.3. Possibility of** Hazardous reactions or instability may occur under certain

**hazardous reactions** conditions of storage or use.

**10.4. Conditions to avoid** Heat, flames, sparks, static charges and direct sunlight.

Unsuitable working materials: various plastics. Sensitive to

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

air. Explosive with air in a vaporous/gaseous state.

10.5. Incompatible

.

Alkali metals, strong acids (especially nitric acid, sulfuric acid) / alkalis, strong oxidizing agents, water with air and

light.

10.6. Hazardous

materials

Thermal decomposition may liberate carbon oxides and

decomposition products

nitrogen oxides.

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Toxicity	Value	Method	Result	
Eye irritation	Irritating	Bridging principle	Eye irrit. Cat. 2	
Specific target organ toxicity after single exposure	May cause drowsiness and dizziness	Bridging principle	STOT SE Cat. 3	

#### 11.2. Most important symptoms and effects associated with exposure

Potential acute health

effects

If inhaled Possible drowsiness and dizziness. Risk of respiratory

problems.

In case of skin contact Redness, pain. The skin absorbs part of the ingredients of this

product. Can cause dry or chapped skin.

In case of eye contact Redness, watering, blurred vision. Risk of irritant effect on

eyes.

If swallowed Health risk even in small quantities. Product should not

come into contact with foodstuffs.

# 11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to levels above the values under Section 8, or regular exposure even if levels are lower, of vapours from solvents present in the preparation may be harmful for health; the effects through inhalation of the vapours and/or contact

Page: 10 / 13

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Version: 1.0

Preparation date: 04.10.2016. Revision date: -

> with skin on long or short time are: Irritation of mucous membranes and respiratory tract, renal, liver and central nervous system. Affections. Symptoms include headaches, dizziness, fatigue, muscular asthenia and, in extreme cases, unconsciousness. Prolonged or repeated skin contact can lead to defatting, provoking non-allergic contact dermatitis and absorption of product through the skin. A regular medical follow-up is necessary.

#### 11.4. Potential chronic health effects

No information available.

#### 12. ECOLOGICAL INFORMATION

12.1. Toxicity

No information available.

12.2. Persistence and

degradability

No information available.

12.3. Bioaccumulative

potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and

vPvB assessment

No information available.

12.6 Other adverse effects Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration. Risk of formation of explosive

vapours above water surface.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

Product Avoid release to the environment or drains. Disposal

together with normal waste is not allowed. Dispose of this product at hazardous or special waste collection point or give to an agreed waste collector / transporter for elimination or treatment. Dispose in a safe manner in accordance with

local regulations.

Packaging Empty contaminated packaging thoroughly. They can be

recycled after thorough and proper cleaning. Do not burn, or use a cutting torch on the empty drum. Risk of explosion.

Container Empty containers /drums for storage or transport before

giving to an agreed collector. Keep label (Flame, Class 3) on

the container and dispose of it as hazardous waste.

#### 14. TRANSPORT INFORMATION

This product is classified as dangerous goods.

**14.1. UN No.** 1090

**14.2. Proper shipping** ACETONE SOLUTION

name

14.3. Transport hazard

class and labels

3, F1

**14.4. Packing group** PG II

**14.5. Environmental** No.

hazards

**14.6. Special precautions** No information available.

**14.7. Transport in bulk** No information available.

according to Annex II of MARPOL 73/78 and the

**IBC Code** 

## MATERIAL SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 04.10.2016. Revision date: - Version: 1.0

#### 15. REGULATORY INFORMATION

Other regulation 1223/2009/EEC: Regulation on cosmetic products

#### 16. OTHER INFORMATION

Note of supplier of material safety data sheet

Note: Since the product is marketed as a cosmetic product, thus, it is out of scope of CLP regulation 1272/2008. However, in order to facilitate the chemical risk assessment of work places for professional users, the classification and labelling elements in accordance with CLP are included.

The product is labelled in accordance with 1223/2009/EEC.

This MSDS is based on data of the original safety data sheet provided by the manufacturer, using the up-to-date version of regulation 1907/2006. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product, therefore it cannot be used to verify quality compliance. Elite Cosmetix Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 13 / 13