SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 09.12.2016.Preparation date: 09.12.2016.Revision date: -Version: 1.0

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier: Crystal Nails No Buffer Scrub

1.2. Relevant identified uses of the mixture and uses advised against:

Nail preparatory liquid for artificial nails for cosmetic use.

1.3. Details of the supplier of the safety data sheet:

Elite Cosmetix LTD. 1085 Budapest József krt. 44. Phone: +36-1-461 0144 fax: +36-1-461 0145 lab2@elitecosmetix.com

1.4. Emergency telephone number:

Country	Name	Phone No.	Availability
Hungary	Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)	+36 80201199	call around the clock
Austria	Vergiftungsinformationszentrale	+43 14064343	call around the clock
Belgium	Antigifzentrum	+32 070245245	call around the clock
Czech Republic	Toxikologického informačního střediska	+420 224919293	call around the clock
Denmark	Giftlinjen	+45 82121212	call around the clock
France	Centre Antipoison et de Toxicovigilance	+ 33 0140054848	call around the clock
Germany	Giftnotruf Berlin Institut für Toxikologie	+49 3019240	call around the clock
Ireland	National Poisons Information Centre	+353 018092566	call around the clock
Italy	S.C. Centro Antiveleni di Milano (CAV)	+39 0266101029	call around the clock
Spain	Instituto Nacional de Toxicología y Ciencias Forenses	+34 915620420	call around the clock
The Netherlands	Vergiftigingen	+31 0302748888	call around the clock

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 09.12.2016.Revision date: -Version: 1.0

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Flam. Liq. 2	H225
Eye Irrit. 2	H319
STOT SE 3	H336
Aqua. Acu. 1	H400
Aqua. Chr. 1	H410

2.2. Labelling elements:



GHS02	GHS07	GHS09
Signal words	: Danger	

Hazard statements

	H225: Highly flammable liquid and vapour.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	
Prevention	P210: Keep away from heat / sparks / open flames/hot surfaces No smoking.
	P241: Use explosion-proof electrical / ventilating / light / / equipment.
	P242: Use only non-sparking tools.
	P261: Avoid breathing dust/fume/gas/mist/vapors/spray.
	P 280: Wear protective gloves / protective clothing / eye protection / face protection.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCILPreparation date: 09.12.2016.Revision date: -Version: 1.0

Response	P370 + 378: In case of fire: Use chemical powders, carbon dioxide for extinction.
	P305 + 351 + 338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
	P391: Collect spillage.
	P273: Avoid release to the environment.
Storage	P403 + 235: Store in a well ventilated place. Keep cool.
Disposal	P501: Dispose of contents in accordance with local regulation

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product is considered dangerous and contains the following hazardous substance(s):

Chemical name	CAS No.	EU No.	INCI name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Hazard statements	m%
propan-2-ol	67-63- 0	200- 661-7	Isopropyl Alcohol	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	50- 75
acetone	67-64- 1	200- 662-2	Acetone	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	10- 25
n-butyl acetate	123- 86-4	204- 658-1	Butyl Acetate	Flam. Liq. 3 STOT SE 3	H226 H336 EUH066	1-5
5-chloro-2-(2,4- dichlorophenoxy)phenol	3380- 34-5	222- 182-2	Triclosan ¹	Eye Irrit. 2 Skin Irrit. 2 Aqua. Ac. 1 Aqua Chr. 1	H319 H315 H400 H410	0.1- 1

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require

¹ M-factor=100

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCILPreparation date: 09.12.2016.Revision date: -Version: 1.0

reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

4. FIRST AID MEASEURE

4.1. Description of first aid measures

If inhaled	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to- mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
In case of skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
In case of eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
If swallowed	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 09.12.2016.Preparation date: 09.12.2016.Revision date: -Version: 1.0

water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison centre or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects both acute and delayed

Potential acute health effects

Inhalation	May cause drowsiness or dizziness.
Skin contact	May cause irritation, redness.
Eye contact	Causes serious eye irritation.
Ingestion	There may be soreness and redness of the mouth and throat.

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatment	No specific treatment.

FIREFIGHTING MEASURES

5.1. Extinguishing media	Use dry chemical, CO ₂ , water spray (fog) or foam.
To avoid	Do not use water jet.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 09.12.2016.Preparation date: 09.12.2016.Revision date: -Version: 1.0

5.2 Specific hazards arising from the substance or mixture Highly flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

5.3. Advice for firefighters

Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a

basic level of protection for chemical incidents.

6. ACCIDENTAL RELEASE MEASURE

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency	No action shall be taken involving any personal risk or
personnel	without suitable training. Evacuate surrounding areas. Keep
	unnecessary and unprotected personnel from entering. Do
	not touch or walk through spilt material. Shut off all ignition
	sources. No flares, smoking or flames in hazard area. Avoid
	breathing vapor or mist. Provide adequate ventilation. Wear
	appropriate respirator when ventilation is inadequate. Put on
	appropriate personal protective equipment.
For emergency responders	If specialized clothing is required to deal with the spillage,
	take note of any information in Section 8 on suitable and

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCILPreparation date: 09.12.2016.Revision date: -Version: 1.0

unsuitable materials. See also the information in "For nonemergency personnel".

6.2. Environmental Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material.

6.3. Methods and materials for containment and cleaning up

and thomas are	
Small spills	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spills	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 09.12.2016.Preparation date: 09.12.2016.Revision date: -Version: 1.0

- Protective measures Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Hygiene measure Keep away from food, drink and animal feeding stuffs. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2. Conditions for safe storage

Requirements for storage Store between the following temperatures: 13 to 26°C (55.4 to 78.8°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Preparation date: 09.12.2016. Revision date: - Version: 1.0

7.3. Specific end uses

Recommendations Not available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Occupational exposure limits

OELs (Occupational Exposure Limit values) for Hungary ²		
Component	TWA (Time Weighted Average)	PC (Peak Concentration)
acetone	1 210 mg/m ³	2 420 mg/m ³
n-butyl acetate	950 mg/m ³	950 mg/m ³
2-propanol	500 mg/m ³	2 000 mg/m ³

Recommended monitoring If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring procedures may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres -Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will

8.2. Exposure controls

Engineering controls

Use only with adequate ventilation. Use process enclosures,

also be required.

²For other local/national OEL values visit the following website:

http://www.dguv.de/ifa/fachinfos/occupational-exposure-limit-values/foreign-and-eu-limit-values/index.jsp

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Preparation date: 09.12.2016. Revision date: -Version: 1.0

> local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof ventilation equipment.

Individual protection

measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Use a properly fitted, air-purifying or air-fed respirator **Respiratory protection** complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Eye/face protection Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Skin and body protection Personal protective equipment for the body should be selected based on the task being performed and the risks

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 09.12.2016.Preparation date: 09.12.2016.Revision date: -Version: 1.0

involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.

Environmental exposure Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Data relating to **acetone**

Appearance/form	Liquid.
Odour	Characteristic, solvent.
Initial boiling point/range	Not available.
Flash Point	15 °C (closed cup)
Flammability limits	Not available.
Auto-ignition temperature	Not available.
Vapour pressure	Not available.
Relative vapour density (air=1)	Not available.
Relative density	Not available.
Water solubility	Miscible.

9.2. Other information

No further information available.

10. STABILITY AND REACTIVITY

10.1. Reactivity No specific test data related to reactivity available for this product or its ingredients.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 09.12.2016.Preparation date: 09.12.2016.Revision date: -Version: 1.0

10.2. Chemical stability	Stable under normal conditions of storage and use.
10.3. Possibility of hazardous reactions	Hazardous polymerization may occur under certain conditions of storage or use. These could cause the product to polymerize exothermically. Unintentional contact with them should be avoided.
10.4. Conditions to avoid	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
10.5. Incompatible materials	Oxidizing materials, acids.
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Ingredient	Result on species	Dose (mg/kg)
acetone	LD50 oral rat	5800
n-butyl acetate	LD50 oral rat	10768
2-propanol	LD50 oral rat	5000
	LD50 dermal rabbit	12800

Irritation/Corrosion

Ingredient	Result on species	Exposure
2-propanol	Skin – Mild irritant – Rabbit	500 mg
	Eyes – Moderate irritant – Rabbit	10 mg
	Eyes – Moderate irritant – Rabbit	100 mg/24 hrs
	Eyes – Severe irritant – Rabbit	100 mg

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 09.12.2016.

Revision date: -

Version: 1.0

11.2. Most important symptoms and effects associated with exposure

Potential acute health effects	
Inhalation	Can cause central nervous system (CNS) depression.
Skin contact	No known significant effects or critical hazards.
Eye contact	Causes serious eye irritation.
Ingestion	Can cause central nervous system (CNS) depression.
Symptoms related to the physical, chemical and toxicological characteristics	
Inhalation	Adverse symptoms may include the following: nausea or vomiting, headache, dizziness/vertigo, drowsiness/fatigue, unconsciousness.
Skin contact	Adverse symptoms may include the following: redness, irritation.
Eye contact	Adverse symptoms may include the following: pain or irritation, redness, watering.

Ingestion No specific data.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure	
Potential immediate	Not available.
effects	
Potential delayed effects	Not available.
Long term exposure	
Potential immediate	Not available.
effects	
Potential delayed effects	Not available.

11.4. Potential chronic health effects

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL Preparation date: 09.12.2016.

Revision date: -

Version: 1.0

Not available.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ingredient	Туре	Result	Species	Exposure
	Acute LC50; Fresh water	3 220 000 μg/l	Fish - Pimephales promelas	96 hrs
propan-2-ol	Acute LC50; Fresh water	4 200 mg/l	Fish - Rasbora heteromorpha	96 hrs
Acute LC50; Marine water		1 400 000 µg/l	Crustaceans - Crangon crangon	48 hrs
triclosop	Acute LC50 EC50	0.95 mg/l	Cyprinus carpio	96 hrs
triclosan Acute EC50		0.17 mg/l	Daphnia magna	48 h

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Ingredient	Log Pow	BCF	Potential
propan-2-ol	0.05	-	low

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

Not applicable.

```
12.6 Other adverse effects
```

No known significant effects or critical hazards.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 09.12.2016.Revision date: -Version: 1.0

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	The classification of the product meets the criteria for a hazardous waste.
Packaging	The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

14. TRANSPORT INFORMATION

This product is classified as dangerous goods.

14.1. UN No.	1993
14.2. Proper shipping	FLAMMABLE LIQUID N.O.S. (isopropanol - acetone
name	mixture)
14.3. Transport hazard class and labels	3, F1

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
Preparation date: 09.12.2016.Revision date: -Version: 1.0

14.4. Packing group	PG II
14.5. Environmental	Yes.
hazards	
14.6. Special precautions	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
14.7. Transport in bulk	No information available.
according to Annex II of MARPOL 73/78 and the IBC Code	

15. REGULATORY INFORMATION

15.1 Other regulation	1223/2009/EEC: Regulation on cosmetic products
15.2 Chemical Safety	Chemical Safety Assessment was prepared neither for
Assessment	ingredients nor the product itself.

16. OTHER INFORMATION

Note of supplier of material safety data sheet

Note: Since the product is marketed as a cosmetic product, thus, it is out of scope of CLP regulation 1272/2008. However, in order to facilitate the chemical risk assessment of work places for professional users, the classification and labelling elements in accordance with CLP are included.

The product is labelled in accordance with 1223/2009/EEC.

This MSDS is based on data of the original safety data sheet provided by the manufacturer, using the up-to-date version of regulation 1907/2006. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product, therefore it cannot be used to verify quality compliance. Elite Cosmetix Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product.