SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier: <u>Crystal Nails Stamping Plate Cleaner</u>

1.2. Relevant identified uses of the mixture and uses advised against:

Remover for nail polish and stamping plate.

1.3. Details of the supplier of the safety data sheet:

Elite Cosmetix LTD.

1085 Budapest Jozsef krt. 44.

Phone: +36-1-461 0144 fax: +36-1-461 0145

lab2@elitecosmetix.com

1.4. Emergency telephone number:

Country	Name	Phone No.	Availability
Hungary	Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)	+36 80201199	call around the clock
Austria	Vergiftungsinformationszentrale	+43 14064343	call around the clock
Belgium	Antigifzentrum	+32 070245245	call around the clock
Czech Republic	Toxikologického informačního střediska	+420 224919293	call around the clock
Denmark	Giftlinjen	+45 82121212	call around the clock
France	Centre Antipoison et de Toxicovigilance	+ 33 0140054848	call around the clock
Germany	Giftnotruf Berlin Institut für Toxikologie	+49 3019240	call around the clock
Ireland	National Poisons Information Centre	+353 018092566	call around the clock
Italy	S.C. Centro Antiveleni di Milano (CAV)	+39 0266101029	call around the clock
Spain	Instituto Nacional de Toxicología y Ciencias Forenses	+34 915620420	call around the clock
The Netherlands	Vergiftigingen	+31 0302748888	call around the clock

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336

2.2. Labelling elements:





GHS02

GHS07

Signal words: Danger!

Hazard statements H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness

Precautionary statements

If in eyes

Prevention P210: Keep away from heat / sparks / open flames / hot

surfaces. — No smoking.

P241: Use explosion-proof electrical / ventilating / lighting

and all material-handling equipment.

P280: Wear protective gloves / protective clothing / eye

protection / face protection.

Response P305 + P351 + P338: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If inhaled P304 + P340: Remove victim to fresh air and keep at rest in

a position comfortable for breathing.

Storage P403 + P235: Store in a well-ventilated place. Keep cool.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

Disposal

P501: Dispose of contents / container in accordance with all

local, regional, national and international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product is considered dangerous and contains the following hazardous substances.

Chemical name	CAS No.	EU No.	INCI name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Hazard statement s	m%
Ethyl acetate	141-78-6	205-500-4	Ethyl Acetate	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	75- 100
Propan-2-ol	67-63-0	200-661-7	Isopropyl Alcohol	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	10- 25
Ethanol	64-17-5	200-578-6	Alcohol	Flam. Liq. 2	H225	1-5
Butanone	78-93-3	201-159-0	MEK	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	1-5

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Page: 3 / 17

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

4. FIRST AID MEASEURE

4.1. Description of first aid measures

Immediately flush eyes with plenty of water, occasionally In case of eye contact

lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes.

Get medical attention.

Remove victim to fresh air and keep at rest in a position Inhalation

> comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide

artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-

mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention

immediately. Maintain an open airway. Loosen tight

clothing such as a collar, tie, belt or waistband.

Wash skin thoroughly with soap and water. Remove In case of skin contact contaminated clothing and shoes. Get medical attention if

symptoms occur. Wash clothing before reuse. Clean shoes

thoroughly before reuse.

Wash out mouth with water. Remove dentures if any. Ingestion Remove victim to fresh air and keep at rest in a position

> comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless

> directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist

> or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery

position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt

or waistband.

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person

providing aid to give mouth-to-mouth resuscitation.

Protection of first-aiders

Page: 4 / 17

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

4.2. Most important symptoms and effects associated with exposure

Potential acute health

effects

In case of eye contact Causes serious eye irritation.

Inhalation May cause drowsiness or dizziness.

In case of skin contact

No known significant effects or critical hazards.

Ingestion Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

In case of eye contact Adverse symptoms may include the following: irritation,

watering, redness

Inhalation Adverse symptoms may include the following: nausea or

vomiting, headache, drowsiness / fatigue, dizziness / vertigo.

In case of skin contact No specific data.

Ingestion No specific data.

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatment No specific treatment.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing Use dry chemical, CO₂, water spray (fog) or foam.

media

Unsuitable extinguishing Do not use water jet.

media

5.2. Specific hazards during fire fighting

Hazards from the Highly flammable liquid and vapour. In a fire or if heated, a

substance or mixture pressure increase will occur and the container may burst,

Page: 5 / 17

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

with the risk of a subsequent explosion. Runoff to sewer

may create fire or explosion hazard.

Decomposition products may include the following Hazardous thermal

decomposition products materials: carbon dioxide, carbon monoxide.

5.3. Advice for firefighters

Promptly isolate the scene by removing all persons from the Special protective actions vicinity of the incident if there is a fire. No action shall be for fire-fighters

> taken involving any personal risk or without suitable training. Move containers from fire area if this can be done

> without risk. Use water spray to keep fire-exposed containers

cool.

Special protective

Fire-fighters should wear appropriate protective equipment equipment for fire-fighters and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for

fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a

basic level of protection for chemical incidents.

6. ACCIDENTAL RELEASE MEASURE

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on

appropriate personal protective equipment.

If specialised clothing is required to deal with the spillage, For emergency responders

take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional

information on hygiene measures.

6.2. Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3. Methods and materials for containment and cleaning up

Small spill

Large spill

6.4. Reference to other sections

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2. Conditions for safe storage

Requirements for storage areas and containers

Store in accordance with local regulations. Store in a segregated and approved area temperatures between 5 – 25 °C. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

containment to avoid environmental contamination.

7.3. Specific end uses

solutions

Recommendations Not available.

Industrial sector specific Not available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Occupational exposure limits

OELs (Occupational Exposure Limit values) for Hungary ¹				
Component	TWA (Time Weighted Average)	PC (Peak Concentration)		
Ethyl acetate	$1400~mg~/~m^3$	$1400 \text{ mg} / \text{m}^3$		
Propan-2-ol	500 mg / m ³	$2000 \text{ mg} / \text{m}^3$		
Ethanol $1900 \text{ mg} / \text{m}^3$ $7600 \text{ mg} / \text{m}^3$				
Butanone	600 mg / m ³	900 mg / m ³		

8.2. Exposure controls

Engineering controls

Use only with adequate ventilation. Use process enclosures,

local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation

equipment.

Individual protection

measures

Hygiene measures Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially

¹For other local/national OEL values visit the following website:

http://www.dguv.de/ifa/fachinfos/occupational-exposure-limit-values/foreign-and-eu-limit-values/index.jsp

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

contaminated clothing. Wash contaminated clothing before

reusing.

Eye / face protection Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical

splash goggles.

Hand protection Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breekthrough for any glove material may be

that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of

mixtures, consisting of several substances, the protection

time of the gloves cannot be accurately estimated.

Body protection Personal protective equipment for the body should be

selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should

include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on

material and design requirements and test methods.

Other skin protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved by

a specialist before handling this product.

complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected

respirator.

Environmental exposure Emissions from ventilation or work process equipment

Page: 10 / 17

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

controls should be checked to ensure they comply with the

requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to

reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Clear, transparent liquid.

Odour Typical.

pH 6.5

Initial boiling point and Not available.

boiling range

Flash point Not available.

Density $0.872 \text{ g}/\text{cm}^3 \text{ (at } 20 \text{ °C)}$

Refractive index 1.3700

Auto-ignition temperature Not available. Viscosity Not available.

9.2. Other information

No further information available.

10. STABILITY AND REACTIVITY

10.1. Reactivity No specific test data related to reactivity available for this

product or its ingredients.

10.2. Chemical stability The product is stable.

10.3. Possibility of Under normal conditions of storage and use, hazardous

hazardous reactions reactions will not occur.

10.4. Conditions to avoid Avoid all possible sources of ignition (spark or flame). Do

not pressurise, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

10.5. Incompatible Highly reactive or incompatible with the following

materials materials oxidizing materials

10.6. Hazardous Carbon of oxides.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

decomposition products

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Ingredient name	Result	Species	Dose	Exposure
Ethyl Acetate	LD50 Oral	Rat	5620 mg/kg	-
	LD50 Dermal	Rabbit	12800 mg / kg	-
Propan-2-ol	LD50 Oral	Rat	5045 mg / kg	-
Butanone	LD50 Dermal	Rabbit	6480 mg / kg	-
	LD50 Oral	Rat	2737 mg / kg	-

Irritation / Corrosion

Ingredient name	Result	Species	Exposure	Observation
Propan-2-ol	Eyes - Moderate irritant	Rabbit	10 mg	-
	Eyes – Severe irritant	Rabbit	100 mg	-

Specific target organ toxicity (single exposure)

Ingredient name	Category	Route of exposure	Target organs
Ethyl Acetate	Category 3	Not applicable	Narcotic effects
Propan-2-ol	Category 3	Not applicable	Narcotic effects
Butanone	Category 3	Not applicable	Narcotic effects

Page: 12 / 17

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

11.2. Most important symptoms and effects associated with exposure

Potential acute health

effects

In case of eye contact Causes serious eye irritation.

Inhalation May cause drowsiness or dizziness.

In case of skin contact

No known significant effects or critical hazards.

Ingestion Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

In case of eye contact Adverse symptoms may include the following: irritation,

watering, redness

Inhalation Adverse symptoms may include the following: nausea or

vomiting, headache, drowsiness / fatigue, dizziness / vertigo.

In case of skin contact No specific data.

Ingestion No specific data.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure Not available.

Long term exposure Not available.

11.4. Potential chronic

health effects

Not available.

Page: 13 / 17

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ingredient name	Result	Species	Exposure
Ethyl Agotota	EC50 2.5x10 ⁶ μg/l Fresh water	Algae - Selenastrum sp.	96 hrs
Ethyl Acetate	LC50 1.54x10 ⁵ μg/l Fresh water	Daphnia - Daphnia cucullata,	48 hrs
Acu. LC50 1400000 μg/l - Marine Water		Crustaceans - Crangon crangon	48 hrs
Propan-2-ol	Acute LC50 4200 mg/l Fresh water	Fish - Rasbora heteromorpha	96 hrs
	Acute EC50 >500000 μg/l Marine water	Algae - Skeletonema costatum	96 hrs
Butanone	Acute EC50 5091000 μg/l Fresh water	Daphnia - Daphnia magna - Larvae	48 hrs
	Acute LC50 3220000 μg/l Fresh water	Fish - Pimephales promelas	96 hrs

12.2. Persistence and degradability

Not available.

12.3. Bioaccumulative potential

Ingredient name	LogPow	BCF	Potential
Ethyl Acetate	0.68	30	low
Propan-2-ol	0.05	-	low
Butanone	0.3	-	low

Page: 14 / 17

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

12.4 Mobility in soil / Soil Not available.

water partition coefficient

(Koc)

Mobility Not available.

12.5. Results of PBT and

vPvB assessment

PBT Not applicable. vPvB Not applicable.

12.6 Other adverse effects No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product

wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste The classification of the product may meet the criteria for a

hazardous waste.

Packaging

Methods of disposal The generation of waste should be avoided or minimised

wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when

recycling is not feasible.

Special precautions This material and its container must be disposed of in a safe

way. Care should be taken when handling emptied

Page: 15 / 17

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

14. TRANSPORT INFORMATION

This product is classified as dangerous goods.

14.1. UN No. 1993

14.2. Proper shipping FLAMMABLE LIQUID, N.O.S. (ethyl acetate – propanol

name mixture)

14.3. Transport hazard 3 F1

class

14.4. Packing group II.

14.5. Environmental No.

hazards

14.6. Special precautions Transport within user's premises: always transport in

closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

14.7. Transport in bulk Not available

according to Annex II of Marpol and the IBC Code

15. REGULATORY INFORMATION

15.1. Other regulation 1223/2009/EEC: Regulation on cosmetic products

Assessment ingredients nor the product itself.

SAFETY DATA SHEET

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Preparation date: 07.06.2017. Revision date: Version: 1.0

16. OTHER INFORMATION

Note of supplier of safety data sheet:

Since the product is marketed as a cosmetic product, thus, it is out of scope of CLP regulation 1272/2008. However, in order to facilitate the chemical risk assessment of work places for professional users, the classification and labelling elements in accordance with CLP are included.

The product is labelled in accordance with 1223/2009/EEC.

This SDS is based on data of the original safety data sheet provided by the manufacturer, using the up-to-date version of regulation 1907/2006. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product, therefore it cannot be used to verify quality compliance. Elite Cosmetix Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 17 / 17